

THE UNIFIED SHAYES OF AMERICA

To au to whom these presents shau come: Pioneer Hi-Bred International, Inc.

There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE REGORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE GHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PRING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PHCND'

In Certimonn Mixerest, I have hereunto set my hand and caused the seal of the Plant Haristy Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of November, in the year two thousand and seven.

Attest.

Ber zu

Commissioner Plant Variety Protection Office Agricultural Marketiny Service Socretary of

REPRODUCE LOCALLY. Include form number and	date on all repro	ductions	· · · · · · · · · · · · · · · · · · ·	Form Approved - OM8 No. 0581-0055
U.S. DEPARTME AGRICULTURAL SCIENCE AND TECHNOLOGY - P	NT OF AGRICULT	RVICE	The following statements are made in the Paperwork Reduction Act (PRA) of	accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and
APPLICATION FOR PLANT VA	RIETY PROTECT	ION CERTIFICATE		rmine if a plant variety protection certificate is to be issued onfidential until certificate is issued (7 U.S.C. 2426).
NAME OF OWNER Pioneer Hi-Bred	I Internatio	onal, Inc.	TEMPORARY DESIGNATION OR EXPERIMENTAL NAME	3. VARIETY NAME PHCND
. ADDRESS (Street and No., or R.F.D. No., City,		· ·	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY
	62 nd Avenı		515/270-4051	PVPO NUMBER
Johnston,	IA 50131-0	085	6. FAX (include area code)	200500230
			515/253-2125	FILING DATE
IF THE OWNER NAMED IS NOT A "PERSON", ORGANIZATION (corporation, partnership, asso Corporation		8. IF INCORPORATED, GIVE STATE OF INCORPORATION Iowa	9. DATE OF INCORPORATION March 5, 1999	April 25, 2005
0. NAME AND ADDRESS OF OWNER REPRESE	ENTATIVE(S) TO	SERVE IN THIS APPLICATION. (Firs	et person listed will receive all papers)	F FILING AND EXAMINATION FEES:
Rese	arch and P P.C	R. Anderson Product Development D. Box 85		R DATE 4/25/05 CERTIFICATION FEE: 8 3652.00 CERTIFICATION FEE: 8 768,00
	Johnston	, IA 50131-0085	•	E DATE 11/19/07
TELEPHONE (include area code)	12. FAX (Includ	le area code)	13. E-MAIL	
515/270-4051	·.	515/253-2125	stev	en.anderson@pioneer.com
4. CROP KIND (Common Name) Corn	16. FAMILY NA	AME (Botanical) Gramineae	·	NIN ANY TRANSGENES? (OPTIONAL)
5. GENUS AND SPECIES NAME OF CROP Zea Mays		RIETY A FIRST GENERATION HYBR	IF SO, PLEASE GIVE THE A	SSIGNED USDA-APHIS REFERENCE NUMBER FOR THE DEREGULATE THE GENETICALLY MODIFIED PLANT FOR
9. CHECK APPROPRIATE BOX FOR EACH ATTA (Follow instructions on reverse) a. ☒ Exhibit A. Origin and Breeding History of b. ☒ Exhibit B. Statement of Distinctness c. ☒ Exhibit C. Objective Description of Variety	the Variety	ITED .	20. DOES THE OWNER SPECIFOF CERTIFIED SEED? (See	Y THAT SEED OF THIS VARIETY BE SOLD AS A CLASS Section 83(a) of the Plant Variety Protection Act) items 21 and 22 below) ☑ NO (if "no", go to item 23) Y THAT SEED OF THIS VARIETY BE LIMITED AS TO
 d.				☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED Y THAT SEED OF THIS VARIETY BE LIMITED AS TO ?
			IF YES, SPECIFY THE NUMB	ER 1,2,3, etc. FOR EACH CLASS.
HAS THE VARIETY (INCLUDING ANY LAST FATTO LATTOLIA CO				GISTERED CERTIFIED cessary, please use the space indicated on the reverse.)
HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES?			INTELLECTUAL PROPERTY	MPONENT OF THE VARIETY PROTECTED BY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?
☑ YES □ NO IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)				TRY, DATE OF FILING OR ISSUANCE AND ASSIGNED
			· · · · · · · · · · · · · · · · · · ·	ise use space indicated on reverse.)
for a tuber propagated variety a tissue culture w The undersigned owner(s) is(are) the owner of the	ill be deposited in is sexually reproc	a public repository and maintained t duced or tuber propagated plant varie	for the duration of the certificate.	stinct, uniform, and stable as required in Section 42, and is
entitled to protection under the provisions of Sec		•		
Owner(s) is (are) informed that false representat	ion nerein can jeo			
ONATORE OF OVERYER			SIGNATURE OF OWNER	Anderson
AME (Please print or type)			NAME (Please print or type)	
			Steve	en R. Anderson
PACITY OR TITLE	DATE		CAPACITY OR TITLE Research Scientist	H-20-2005

200500230

SENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 illing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials o make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuanc of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvpindex.htm

Fo avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

TEM

19a.Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

United States Nov. 1, 2004

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's epresentative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

In the Coording to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

he U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, plitical beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require afternative means for communication of program information araille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

o file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD) SDA is an equal opportunity provider and employer.

:T-470 (04-03) designed by the Plant Variety Protection Office using Word 2002.

Exhibit A: Developmental history for PHCND

Pedigree: PH3KP/PH2T6)XB111211X

Pioneer Line PHCND, Zea mays L., a yellow endosperm, dent corn, inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PH3KP (PVP Certificate Number 9900380) X PH2T6 using the pedigree method of plant breeding. Varieties PH3KP and PH2T6 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Variety PH2T6 was derived by pedigree selection from PHNG2 X PHRF1. Variety PHRF1 was derived by pedigree selection from PHP02 (PVP Certificate Number 8800212) X PHR63 (PVP Certificate Number 8800212). Variety PHNG2 was derived by pedigree selection from PHP02 (PVP Certificate Number 8800212) X PHW89. Selfing was practiced from the above hybrid for 8 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Princeton, Illinois as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PHCND has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 6 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 6 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound lab electrophoresis methodology.

No variant traits have been observed or are expected in PHCND.

The criteria used in the selection of PHCND were yield, both per se and in hybrid combinations. Late season plant health and late season root lodging, grain quality, stalk lodging resistance, and kernel size were also important criteria considered during selection. Other selection criteria include: good female yield, good early stand, good anthracnose stalk rot resistance.

* PHW89 traces back in derivation to G35 X PHG:44

Exhibit A: Developmental history for PHCND

Pedigree Grown Season/Year	Inbreeding Level of Pedigree Grown
РН3КР	F0
February 1997	
PH2T6	F0
February 1997	•
PH3KP/PH2T6)	F1.
June 1997	
PH3KP/PH2T6)X	F2
Summer 1998	
PH3KP/PH2T6)XB1	F3
Summer 1999	
PH3KP/PH2T6)XB11	F4
Summer 2000	·
PH3KP/PH2T6)XB111	F5
Winter 2000	
PH3KP/PH2T6)XB1112	F6
Summer 2001	
PH3KP/PH2T6)XB11121	F7
Winter 2001	·
PH3KP/PH2T6)XB111211	F8
Summer 2002	·
PH3KP/PH2T6)XB111211X	F9
	(Seed)
,	

^{*}PHCND was selfed and ear-rowed from F3 through F8 generation. #Uniformity and stability were established from F8 through F9 generation and beyond when seed supplies were increased.

Exhibit B: Novelty Statement

Variety PHCND mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PH3KP (PVP Certificate No. 9900380). Table 1 shows two sample t-tests on data collected primarily in Johnston and Dallas Center, Iowa in 2003 and 2004. The traits collectively show measurable differences between the two varieties.

Exhibit B: Novelty Statement

Variety PHCND has a greater husk length (22.6 cm vs 20.4 cm) than variety PH3KP (Table 1).

leat

Variety PHCND has a greater husk length (80.5 cm vs 71.4 cm) than variety PH3KP (Table 1).

Variety PHCND has a light red silk color (7RP 4/8) and PH3KP has a light green silk color (5GY 8/6).

Silk color establishes a clear difference between PHCND and PH3KP.

Exhibit B: Novelty Statement Table(s)

Table 1: Data from Johnston and Dallas Center, Iowa in 2003 and 2004 presented by trait, across years, and broken out by year. Data are supporting evidence for differences between PHCND and PH3KP. Each year varieties were grown in 3 locations that had different environmental conditions. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

Husk length (cm)	(сш)		÷						•							
Level 1. Over Ail	Station	Үеаг	Variety-1 PHCND	Variety-2 PH3KP	Cnt-1	Cnt-2 30	Mean-1 22.6	4 . To 4	Mean_Diff 2.2	StDev-1 0.971	~~	٠,	StErr-2 0.170	년 86	t-Value	Prob_Pool
2. Year		2003	PHCND	PH3KP	<u>. र</u> ि	5	22.4	20.1	2.3	0.910	1.100	0.235	0.284	88	6.3	0.000
2. Year		2004	PHCND	РНЗКР	5	15	22.7	20.7	2.0	1.033	0.594	0.267	0.153	. 58	6.5	0.00
Leaf length (cm)	ím;															
Level 1. Over All	Station	Year	Variety-1 PHCND	Variety-2 PH3KP	Cnt-1	Cnt-2	Mean-1 80.5	Mean-2 71 4	Mean_Diff 9.1	StDev-1 4.313	StDev-2 3.971		StErr-2 0.725	DF:	t-Value 8.5	Prob_Pool
2. Year		2003	PHCND	РНЗКР	15	15	80.4	72.1	8.3	4.085	4.086	1.055	1,055	28	5.5	0.000
2. Year		2004	PHCND	PH3KP	<u>र</u>	15	80.7	70.7	10.0	4.670	3.848	1.206	0.994	78	6.4	0.000

Based on previous discussions with the PVP office the traits longitudinal creases and marginal leaf waves were not collected. These traits have low distinguishing power and are variable due to daily fluctuations in water status of the plants. Therefore, we eliminated them from our process based on previous feedback from the PVP office. For insect or disease traits we included data from disease pressure locations only if they were available and paired with the public check. Most often diseases and insect trials are conducted on hybrids since that is the product ultimately sold. In addition, creating consistent disease pressure and infestation levels is costly and difficult.

In cases where less than 15 observations are presented the trait was collected at the plot level as it always has been done in the past. This means many more plants were visually evaluated according to the procedure outlined below, and then a score of the "population" of the plants was recorded for each location.

The experimental design and methods for 2004 were as follows:

The experiment procedures involved three environments with different planting dates per year, planted in 17.42 ft. rows with 2 rows for each variety. Approximately 24-30 plants emerged in each of 2 rows for a total of around 48 to 60 plants being evaluated at each location and 144 to 180 plants across locations. For plant level traits, we sampled 5 representative plants from the 2 rows of the 2 row plot (group) of plants at each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 48-60 plants in the group within an experiment.

Some traits can be especially variable under different environmental factors influenced by weather, soil type, or planting dates. Varying temperatures or day length could impact the meristem growth during various tissue differentiation stages. The meristem differentiation of the ear and other tissues could be impacted as well as the success of pollination during flowering and frequency of kernel abortion during grain fill.

We have included weather data in the table that follows.

	1000							
Month	GRO₩	GROWING DEGREE UNITS (GDU'S)	EE UNITS (GDU'S)	ä.	PRECIPITATION (inches)	ION (Sncho	1
	20	2003	20	2004	20	2003		,
	D. Center	Inhuston D Center	D Contor	Inhanton			3	ŧl.
			P. Cell.el	٠,	v. center	Journaton	D. Center	Johnston
May	375	380	548	527	5.7	5.43	7 19	7 75
June	909	604	609	610	1 02	7 23	101	2 8
fails	900	١			1	3	101	60.0
A L	070	787	/23	736	0 18	3.4	2.29	4.54
August	795	786	612	615	0.44	0.51	1 95	10 /
September	456	468	598	560	2.19	2.52	1 28	20.0
TOTAL	2860	3020	3090	20.48	40.42	1000	2	17.
			2000	2	?	20.0	14.78	21.87

Calculate GDU's

Growing Degree Units use following formula: GDU = ((T1+T2)/2)-50

Where T1 = minimum temperature for a given day with 50 degrees Fahrenheit as the minimum temperature used and 86 degrees Fahrenheit is the maximum temperature used.

Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 50 degrees Fahrenheit is the minimum temperature used. GDU's are calculated each day and accumulated (summed) over certain number of days.

United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s) Pioneer Hi-Bred International, Inc	I Variety Seed	Source	I Variety Name or Temporary Designation I PHCND
Address (Street & No., or R.F.D. No., City, State, Z 7301 NW 62nd Avenue, P.O. Box 85, Johnston,		FOR OFFICIA	1 PVPO Number 2 0 0 5 0 0230
Place the appropriate number that describes the vandding leading zeroes if necessary. Completeness considered necessary for an adequate variety described to the considered necessary for an adequate variety described to the considered necessary for an adequate variety described to the considered necessary for an adequate variety described to the considered necessary for an adequate variety described to the considered necessary for an adequate variety described to the considered necessary for an adequate variety described necessary.	should be striven for to	establish an adequate va	ne spaces below. Right justify whole numbers by riety description. Traits designated by a "*" are
COLOR CHOICES (Use in conjunction with Munse 01. Light Green 06. Pale Yellow 02. Medium Green 07. Yellow 03. Dark Green 08. Yellow-Orange 04. Very Dark Green 09. Salmon 05. Green-Yellow 10. Pink-Orange	Il color code to describe 11. Pink 12. Light Red 13. Cherry Red 14. Red 15. Red & White	all color choices; describ 16. Pale Purple 17. Purple 18. Colorless 19. White 20. White Capped	e #25 and #26 in Comments section): 21. Buff 26. Other (Describe) 22. Tan 23. Brown 24. Bronze 25. Variegated (Describe)
TANDARD INBRED CHOICES [Use the most sin Yellow Dent Families: Family Members B14 CM105, A632, B64, B68 B37 B37, B76, H84 B73 N192, A679, B73, Nc268 C103 Mo17, Va102, Va35, A682 Oh43 A619, MS71, H99, Va26 WF9 W64A, A554, A654, Pa91	nilar (in background and Yellow Dent (Unrelated) Co109, ND246 Oh7, T232 W117, W153R W182BN White Dent: Cl66, H105, Ky2):	e comparisons based on grow-out trial data]: Sweet Corn: C13, Iowa5125, P39, 2132 Popcorn: SG1533, 4722, HP301, HP7211 Pipecorn: Mo15W, Mo16W, Mo24W
1. TYPE: (describe intermediate types in "Comme 3 (1=Sweet, 2=Dent, 3=Flint, 4=Flour, 5=Flint-Dent	nts" section) Pop, 6=Ornamental, 7=	Pipecorn)	I Standard Inbred Name W64A I <u>2</u> Type
2. REGION WHERE DEVELOPED IN THE U.S.A. 2 (1=N.West, 2=N.Central, 3=N.East, 4=		S.West, 7=Other	I Standard Seed Source AMES 19291 I Region
3. MATURITY (In Region Best Adaptability; show DAYS HEAT UNITS 62	to 50% of plants in silk to 50% of plants in polle	n	DAYS HEAT UNITS 1 60 1.248.7 1 58 1.221.2 2 52 1
4. PLANT: 204.0 cm Plant Height (to tassel tip) 80.0 cm Ear Height (to base of top ear node) 14.8 cm Length of Top Ear Internode 0.0 Average Number of Tillers 1.3 Average Number of Ears per Stalk 1 Anthocyanin of Brace Roots: 1=Absen	a)	1.10 0.00 0.07 6	
Application Variety Data	<u> </u>	Page 1	Standard Inbred Data

Application Variety Data				
	Page	: 2	l Standard Inbred Data	hittini istornom a sammini samid i kantana kangina antahing a ata
5. LEAF 9.5 cm Width of Ear Node Leaf 80.5 cm Length of Ear Node Leaf 5.5 Number of leaves above top ear 24.3 Degrees Leaf Angle (Measure from 2nd leaf above ear at and 4 Leaf Color (Munsell Code) 7.56	9Y36	2 30 1 30 3 30 5 30	I Mean St.De I 9.4 1.1 I 65.5 3.4 I 5.6 0.8 I 29.8 4.3 I 3 (Munsell Code) 5	3 30 17 30 11 30 13 30
Leaf Sheath Pubescence (Rate on sca Marginal Waves (Rate on scale from 1: Longitudinal Creases (Rate on scale from 1:	=none to 9=many)	ch fuzz)	5	
6. TASSEL: 7.0 Number of Primary Lateral Branches 10.4 Degrees Branch Angle from Central Sp 56.3 cm tassel Length (from top leaf collar to tassel tip) 6 Pollen Shed (Rate on scale from 0=ma 12 Anther Color (Munsell Code) 2 Glume Color (Munsell Code) 5GY5 1 Bar Glumes (Glume Bands): 1=Absenf	4.06 le sterile to 9=heavy shed) 8 6	3 <u>0</u> 30	Mean St.Der	1 30 6 30 2 30 0Y8.58
7a. EAR (Unhusked Data): 12 Silk Color (3 days after emergence) (M 2 Fresh Husk Color (25 days after 50% silk 2 Position of Ear at Dry Husk Stage: 1=L 7 Husk Tightness (Rate on scale from 1= 2 Husk Extension (at harvest): 1=Short(e (8-10cm beyond ear tip), 4=Very Long (2)	silking) (Munsell Code) king) (Munsell Code) Jpright, 2=Horizontal, 3=Pend every loose to 9=very tight ears exposed), 2=Medium (<8		1	
7b. EAR (Husked Ear Data) 15.6 cm Ear Length 42.2 mm Ear Diameter at mid-point 132.1 gm Ear Weight 16.2 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly of the company of the co	1.58	Sample Size	Mean St.Dev 13.5 0.66 43.4 1.73 114.5 18.03 17.1 1.36 2 2 10.5 1.93	8 30 3 30 2 30 6 30
8. KERNEL (Dried): 10.9 mm Kernel Length 7.9 mm Kernel Width 5.1 mm Kernel Thickness 74.7 % Round Kernels (Shape Grade) 1 Aleurone Color Pattern: 1=Homozygous 7 Aleurone Color (Munsell Code) 7 Hard Endosperm Color (Munsell Code) 3 Endosperm Type: 1=Sweet(su1), 2=Ext Amylose Starch, 5=Waxy Starch, 6=High (se), 9=High Oil, 10=Other	<u>10YR8 14</u> <u>10YR7 14</u> tra Sweet(sh2), 3=Normal Sta	Sample Size 30 30 30 6 6	Mean St.Dev 9.8 0.66 6.7 0.52 4.6 0.68 18.0 4.41 1 (describe) 7 Munsell Code 7 Munsell Code 3 (describe)	30 2 30 3 30
31.7 gm Weight per 100 kernels (unsized sa	mple) <u>4.59</u>	! <u>6</u> !	<u>20.3</u> <u>2.34</u>	<u>6</u>
9. COB: 25.3 mm Cob Diameter at mid-point 11 Cob Color (Munsell Code)	St Dev. 1.65 10R56	Sample Size I <u>30</u> I I	Mean St.Dev <u>28.1</u> 1.01 11 Munsell Code	<u>. 30</u>
Application Variety Data	Page 2		Standard Inbred Data	•

Note: Use chart on first page to choose color codes for color traits

Application Variety Data	Page 3	Standard Inbred Data
_ Aspergillus Ear and Kernel Rot (Aspergillus flavus) _ Diplodia Ear Rot (Stenocarpella maydis) 6 Fusarim Ear and Kernel Rot (Fusarium moniliforme) _ Gibberella Ear Rot (Gibberella zeae) _ Other (Specify)		Aspergillus Ear & Kernel Rot Diplodia Ear Rot G Fusarium Ear & Kernel Rot Gibberella Ear Rot Other (Specify)
Other (Specify) D. Ear and Kernel Rots		Gibberella Stalk Rot Other (Specify)
Anthracnose Stalk Rot (Colletotrichum graminicola) Diplodia Stalk Rot (Stenocarpella maydis) Fusarium Stalk Rot (Fusarium moniliforme) Gibberella Stalk Rot (Gibberella zeae)	1	Anthracnose Stalk Rot Diplodia Stalk Rot Fusarium Stalk Rot
C. Stalk Rots		
_ Maize Chlorotic Dwarf Virus (MCDV) _ Maize Chlorotic Mottle Virus (MCMV) Maize Dwarf Mosaic Virus (MDMV) _ Sorghum Downy Mildew of Corn (Peronosclerospora sorghi _ Other (Specify))	Maize Chlorotic Dwarf Virus Maize Chlorotic Mottle Virus Maize Dwarf Mosaic Virus Strain Sorghum Downy Mildew of Corn Other (Specify)
Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana)		Corn Lethal Necrosis Head Smut
B. Systemic Diseases	1	
Stewart's Wilt (Erwinia stewartii) Other (Specify)	<u> </u>	Stewart's Wilt Other (Specify)
Southern Rust (Puccinia Polysora)	1	Southern Rust
Southern Leaf Blight (Bipolaris maydis)	Race	Southern Leaf Blight Race_
Helminthosporium Leaf Spot (Bipolaris zeicola) Northern Leaf Blight (Exserohilum turcicum)	Race	 Gray Leaf Spot Helminthosporium Leaf Spot Race Northern Leaf Blight
Eyespot (Kabatiella zeae) Goss's Wilt (Clavibacter michiganense spp. nebraskensis) Gray Leaf Spot (Cercospora zeae-maydis)		Eyespot Goss's Wilt
 Anthracnose Leaf Blight (Colletotrichum graminicola) Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) 	1	_ Anthracnose Leaf Blight Common Rust Common Smut
if not tested; leave Race or Strain Options blank if polygenic); A. Leaf Blights, Wilts, and Local Infection Diseases		
DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (m		

Note: Use chart on first page to choose color codes for color traits.

Application Variety Data	Page 4	I Standard Inbred Data
11. INSECT RESISTANCE (Rate from 1(most susceptible) to 9 (most resistant): Logyo blank	
if not tested	St. Dev. Sample Size	Ct Day, Commission
Banks Grass Mite (Oligonychus pratensis)	or. Dev. Sample Size	St. Dev. Sample
Corn Earworm (Helicoverpa zea)		Banks Grass Mite
_ Leaf Feeding		Corn Earworm
Silk Feeding . mg larval wt.		Leaf Feeding
Ear Damage		
_ Corn Leaf Aphid (Rhopalosiphum maidis)		_ Ear Damage
Corn Sap Beetle (Carpophilus dimidiatus)		Corn Leaf Aphid
		Corn Sap Beetle
European Corn Borer (Ostrinia nubilalis)		l European Corn Borer
1 st Generation (Typically Whorl Leaf Feeding)		1 st Generation
_ 2 nd Generation (Typically Leaf Sheath-Collar Feeding)		_ 2 nd Generation
Stalk Tunneling: cm tunneled/plant	and the second s	<u> </u>
Fall Armyworm (Spodoptera frugiperda)		I Fall Armyworm
_ Leaf-Feeding		Leaf-Feeding
Silk-Feedingmg larval wt.		
_ Maize Weevil (Sitophilus zeamais)		Maize Weevil
	•	
Northern Rootworm (Diabrotica barberi)	•	Northern Rootworm
Southern Rootworm (Diabrotica undecimpunctata)	·	I _ Southern Rootworm
Southwestern Corn Borer (Diatraea grandiosella)		
Leaf Feeding		Southwestern Corn Borer
Stalk Tunneling:cm tunneled/plant		Leaf Feeding
_ Two-spotted Spider Mite (Tetranychus urticae)		<u> </u>
Western Rootworm (Diabrotica virgifera virgifera)		_ Two-spotted Spider Mite
_ Other (Specify)		_ Western Rootworm
_ Other (Opecity)		I Other (Specify)
12. AGRONOMIC TRAITS:		
the state of the s		
6 Stay Green (at 65 days after anthesis) (Rate on scale fro % Dropped Ears (at 65 days after anthesis)	m i=worst to 9=excellent)	1 1 Stay Green
% Pre-anthesis Brittle Snapping		M Dropped ears
		% Pre-anthesis Brittle Snapping
0 % Pre-anthesis Root Lodging		4 % Pre-anthesis Root Lodging
2 % Post-anthesis Root Lodging (at 65 days after anthesis)	Post-anthesis Root Lodging
7,484.0 Kg/ha Yield of Inbred Per Se (at 12-13% grain mo	oisture)	l <u>4,246.0</u> Yield
42 MOLECULAR MARKERS (0-4-4		
13. MOLECULAR MARKERS: (0=data unavailable; 1=data availab	ole but not supplied; 2=data suppli	ed.)
1 Isozymes _ RFLP's	_ RAPD's	_ Other (Specify)
REFERENCES:		
Butler, D.R. 1954. A System for the Classification of Corn Inbred L	ines. PhD Thesis, Ohio University	·
Emerson, R.A., G.W. Beadle, and A.C. Fraser, 1935. A summary	of Linkage Studies in Maize. Corne	ell A.E.S., Mem. 180.
Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi	on Plant Products in the United St	ates. The American Phytopathological
Society, St. Paul, MN.	and the second of the second o	
Inglett, G.E. (Ed) 1970. Corn: Culture, Processing, Products. Avi P	uhlishing Company Westneint C	.
Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, a	nd liese John Wiley & Sons Mov	T. v Vork
McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150	na coos. com whey a cons, New	r TOIN.
= = -, = · = · · · · · · · · · · · · · · · ·	, pp.	· · · · · · · · · · · · · · · · · · ·

Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230

The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI.

Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp.
Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. ASA, CSSA, SSSA,

Stringfield, G.H. Maize Inbred Lines of Ohio A.E.S., Bul. 831, 1959.

U.S. Department of Agriculture 1936, 1937. Yearbook.

COMMENTS (e.g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D) Insect, disease, brittle snapping and root lodging data are collected mainly from environment where variability for the trait can be obtained within the experiment.

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and Dallas Center, Iowa. The data in Table 1 are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in Exhibit B collectively show distinct differences between the two varieties.

RÉPRODUCE LOCALLY. Include form number and edition date on all reproductions.	FORM APPROVED - OMB NO. 058	31-0055
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to dotormin certificate is to be issued (7 U.S.C. 2421), confidential until the certificate is issued (7	ic if a plant variety protection The information is held
1. NAME OF APPLICANT(S) PIONEER HI-BRED INTERNATIONAL, INC.	2.TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME PHCND
4 .ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5.TELEPHONE (include area code)	6. FAX (include area code)
7301 NW 62 nd AVENUE	515-270-4051	515-253-2125
P.O.BOX 85	7. PVPO NUMBER	
JOHNSTON, IA 50131-0085		200500230
8. Does the applicant own all rights to the variety? Mark an "X" in the appropriate bit	ock. If no, please explain: 🛛 YES	□NO
9.Is the applicant (individual or company) a U.S. national or a U.S. based company	? If no, give name of country. ⊠ YE	S □ NO
10. Is the applicant the original owner?	swer <u>one</u> of the following:	
a. If the original rights to variety were owned by individual(s), is (are) the original	ginal owner(s) a U.S. National(s)?	
☐ YES ☐ NO If no, give name of country		
b. If the original rights to variety were owned by a company(ies), is (are) the	original owner(s) a U.S. based company?	
☑ YES ☐ NO If no, give name of country		
11. Additional explanation on ownership (Trace ownership from original breeder to c	current owner. Use the reverse for extra sp	pace if needed):
Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and/or its wholly or is the employer of the plant breeders involved in the selection and development Corporation has the sole rights and ownership of PHCND pursuant to written or such variety was created. No rights to this variety are retained by any individual	nt of PHCND. Pioneer Hi-Bred Internation contracts that assign all rights in the variet	al and/or Pioneer Overseas
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licensees) who meet the fol		
 If the rights to the variety are owned by the original breeder, that person must be a U. which affords similar protection to nationals of the U.S. for the same genus and species 	S. national, national of a UPOV member coues.	intry, or national of a country
If the rights to the variety are owned by the company which employed the original bre member country, or owned by nationals of a country which affords similar protection	eeder(s), the company must be U.S. based, or to nationals of the U.S. for the same genus a	vned by nationals of a UPOV and species.
If the applicant is an owner who is not the original owner, both the original owner and	the applicant must meet one of the above cri	iteria.
The original breeder/owner may be the individual or company who directed the final breedi	ing. See Section 41(a)(2) of the Plant Variety	Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity provide and employer.